

POWER ACCESSORIES

30W LED Fill Light for CCTV Camera

Model FL30



IP66 30W white-light CCTV illuminator with 16 LEDs, 3600lm output, light-sensitive control, selectable lenses, and long-range night surveillance coverage.

Features

- 16-LED white-light array with 30W power and 3600lm output
- Selectable 15°, 30°, 45°, 60°, or 90° lens angles
- IP66 die-cast aluminum and tempered-glass enclosure
- Light-sensitive automatic control with optional always-on or RS485 control
- Adjustable bracket for flexible surveillance coverage

Lighting

Model	FL30
LED Count	16
Product Power	30W
Luminous Output	3600lm
Control	Light-sensitive / always-on; optional RS485 control
Illumination Distance	1-70m, depending on lens angle
Color Temperature	6500K white
Lens Angles	15° / 30° / 45° / 60° / 90°

Electrical & Physical

Working Voltage	100-265V AC; optional 12V or 24V DC
Frequency	50-60Hz
Operating Temperature	35°C to 80°C
Working Humidity	10%-90%
Protection Level	IP66
Housing	Die-cast aluminum + tempered glass
Net Weight	2.5kg
Dimensions	190 × 130 × 130mm, including bracket



Contact us

Maxsol South Africa

Website

<https://maxsol-tech.co.za>

Phone

+86 19849790018

Email

sales@maxsol-tech.com

Service area

South Africa

Address

5/F, Bangshen Lixinhu Technology Industrial Park, No. 132 Dayang Road, Fuhai Subdistrict, Bao'an District, Shenzhen, China

[Facebook](#)

[LinkedIn](#)

[WhatsApp](#)